



THE ORIGINAL AND THE BEST

T H WHITE
MACHINERY
IMPORTS

A530




THE ORIGINAL MADE IN
GERMANY
HIGHEST QUALITY GUARANTEED



JENSEN TRAILED A530 – 6 INCH, 24HP OR 40HP PETROL WOODCHIPPER

Jensen Trailed A530 – 6 Inch, 24HP or 40HP Petrol Woodchipper



Jensen A530 24HP or 35hp Petrol Trailed Specifications

TECHNICAL DATA	A530 24HP & 40HP Petrol Trailed
Engine	Option of Either 24HP or 40HP Briggs and Stratton Vanguard Petrol engine
Feed Roller Aperture (W x H)	210 x 150mm
Adjustable Chip Length	5-20mm
Flywheel Dimensions	600 x 25mm
Flywheel Weight	70kg
Number of Blades	2
Capacity	ca. 15m ³ /h
Infeed Hopper (W x H)	850 x 820mm
Dimensions (L x W x H)	3130 x 1360 x 2260mm
Weight	750kg

Jensen Trailed A530 – 6 Inch, 24HP or 40HP Petrol Woodchipper



TOUCH BUTTON SAFETY CONTROLS

With very user friendly and safety conscious options, Jensen offers two options for feed control. The manual hydraulic system removes the requirement for electrics completely, whilst the illuminated touch pad controls remove any possibility of water or vibration issues.



INFEEED HOPPER SAFETY

With a Jensen you can choose between a fixed or compact, fold down feed hopper. Both come equipped with a safety bar, which depending on the infeed control can be used as a control bar or an emergency stop bar.



INTERMESHING FEED ROLLER SYSTEM

Designed to grip and take away the most awkward material, twin horizontal feed rollers are timed through a precision gearbox which allows the rollers to grip together on small brashy material, as well as large timber.

While other conventional chippers have a motor powering each feed roller, the Jensen chipper has one motor ensuring strong and consistent power to both rollers no matter the material.



SIMPLE TO REMOVE ANVIL

A definite edge on the anvil is just as important as it is to have sharp blades.

A worn anvil puts substantial stress on the machine. Jensen anvils take just 5 minutes to change, with a small cover and 1 clamp bolt being all that are removed to enable access to the anvil. Not only that, Jensen anvils are double-sided for maximum efficiency.

Jensen A530 24HP or 40HP Petrol Trailed Specifications



ROBUST STEEL COMPONENTS

Jensen machines are designed to be robust enough to meet the harshest of field conditions. The use of steel for almost all components, from the feeding and cutting through to the chassis, ensure longevity and quality without compromise.


Jensen chippers endure shock, impact and heavy loads, providing you with much more than just your standard chipper.



AUTO OFFLOAD REGULATOR

All Jensen chippers can be delivered with an auto overload regulator, which monitors the speed of the flywheel and prevents the timber from feeding onto the flywheel when the rotations fall below a preset level.

This enables the engine and flywheel to build up speed again before the rollers are engaged to continue the chipping process, protecting your machine and ensuring a seamless process for users.



OPEN FLYWHEEL SYSTEM

The flywheel is the heart of every chipper. With a Jensen, clearing wet and green material is simply not a problem with blockages virtually unheard of, as a result of our open flywheel system.

Two blades, which cut the full width of the timber mounted on a large flywheel with open taps means that there is nothing to hinder the chip leaving the flywheel.

Four full width draught fins pick up the material and throw it out of the chamber rather than relying on air to blow the chip out.



EASY MAINTENANCE AND SUPPORT

Jensen pride themselves on manufacturing chippers that are not just robust and efficient, but easy to use and maintain. Machines are built with panels and guards that fold out simply for quick and easy blade or anvil changes and maintenance, integrated well-equipped toolboxes and easy to use manuals.

Not only that, Jensen offer a 3-year warranty on all machines, as well as parts stocked in the UK and UK based support available from the Jensen team and a network of Jensen dealers.



For more information or to find your nearest dealer please visit our website :

www.jensenchippers.co.uk



THE ORIGINAL AND THE BEST

Jensen UK
Windyridge, Salisbury Road,
Houghton Down, Stockbridge, Hampshire, SO20 6JR
01264 811 260
T H White Machinery Imports Registered in England No. 1916864