



FW15 HYDRO

Experience
Suspension™

MODEL (Mfg # 5901848)	ENGINE	MOWER DECK
FW15CWHON1032CE	10,2 HP Honda GXV390	81 cm – Side discharge – (Mulch optional)

HONDA

**HYDRO-GEAR®
COMMERCIAL**



SPECIFICATIONS

ENGINE	10,2 HP Honda GXV390 single, 389cc (Petrol)
MOWER DECK	81 cm, 2-blades, Side discharge / optional Mulching Kit
TRANSMISSIONS	HydroGear® RT-310® with Peerless differential axle
TRACTION WHEELS	13x5.00–6 (4 Ply)
CASTER WHEELS	10.5x3.00 flat free
DIMENSIONS (LxW)	196x91 cm (deflector up)
WEIGHT	129 kg
WARRANTY	2-Year Limited Warranty commercial use, unlimited hours (3-Year on engine)
SPEED/CAPACITY	6.4 km/h



FW25

Experience
Suspension™

MODEL (Mfg # 5901889)	ENGINE	MOWER DECK
FW25KAV1936RDCE	18,5 HP Kawasaki FS600V	91 cm – Rear discharge - Mulch

Kawasaki
— ENGINES —

HYDRO-GEAR®
COMMERCIAL



SPECIFICATIONS

ENGINE	18,5 HP Kawasaki FS600V V-Twin 603cc (Petrol)
MOWER DECK	91 cm, 2-blades, Rear discharge / Mulching Insert and Mulching Blades
TRANSMISSIONS	HydroGear® Commercial ZT3100®
TRACTION WHEELS	20x7.00-10 (4 Ply)
CASTER WHEELS	11x4.00-5 (4 Ply) flat free
DIMENSIONS (LxW)	198x94 cm
WEIGHT	288 kg
WARRANTY	2-Year Limited Warranty commercial use, unlimited hours (3-Year on engine)
SPEED/CAPACITY	9.6 km/h



FW25

Experience
Suspension™

MODEL (Mfg # 5901826/5901986)	ENGINE	MOWER DECK
FW25KAV1936CE	18,5 HP Kawasaki FS600V	91 cm – Side discharge

Kawasaki
— ENGINES —

HYDRO-GEAR®
COMMERCIAL



SPECIFICATIONS

ENGINE	18,5 HP Kawasaki FS600V V-Twin 603cc (Petrol)
MOWER DECK	91 cm, 2-blades, Side discharge
TRANSMISSIONS	HydroGear® Commercial ZT3100®
TRACTION WHEELS	20x7.00–10 (4 Ply)
CASTER WHEELS	11x4.00–5 (4 Ply) flat free
DIMENSIONS (LxW)	198x104 cm (deflector up)
WEIGHT	288 kg
WARRANTY	2-Year Limited Warranty commercial use, unlimited hours (3-Year on engine)
SPEED/CAPACITY	9.6 km/h



FW35

Experience
Suspension™

MODEL (Mfg # 5901454)	ENGINE	MOWER DECK
FW35KAV2648RDCE	26 HP Vanguard® 810	122 cm – Rear Discharge - Mulch



SPECIFICATIONS

ENGINE	26 HP VANGUARD® 810 V-Twin 810cc (Petrol)
MOWER DECK	122 cm, 3 Blades, Rear discharge / Mulching Insert and Mulching Blades
TRANSMISSIONS	HydroGear® Commercial ZT3100®
TRACTION WHEELS	20x7.00-10 (4 Ply)
CASTER WHEELS	11x4.00-5 (4 Ply) flat free
DIMENSIONS (LxW)	200x125 cm
WEIGHT	380 kg
WARRANTY	2-Year Limited Warranty commercial use, unlimited hours (3-Year on engine)
SPEED/CAPACITY	11.0 km/h



FW45

Experience Suspension™

MODEL (Mfg # 5901988)	ENGINE	MOWER DECK
FW45KAV2648CE	26 HP Vanguard® 810	122 cm – TRIPLE combi disch. - Mulch



SPECIFICATIONS

ENGINE	26 HP VANGUARD® 810 V-Twin 810cc (Petrol)
MOWER DECK	122 cm, 3 Blades, Side discharge
TRANSMISSIONS	HydroGear® Commercial ZT3100®
TRACTION WHEELS	20x7.00–10 (4 Ply)
CASTER WHEELS	11x4.00–5 (4 Ply) flat free
DIMENSIONS (LxW)	200x130 cm (deflector up)
WEIGHT	380 kg
WARRANTY	2-Year Limited Warranty commercial use, unlimited hours (3-Year on engine)
SPEED/CAPACITY	11.0 km/h



FM35

Experience
Suspension™

MODEL (Mfg # 5901453)	ENGINE	MOWER DECK
FM35KAV2648CE	26 HP Vanguard® 810	122 cm – Flail Mower



SPECIFICATIONS

ENGINE	26 HP VANGUARD® 810 V-Twin 810cc (Petrol)
MOWER DECK	122 cm – Up-milling rotor with 34 swinging flail cutters
TRANSMISSIONS	HydroGear® Commercial ZT3100®
TRACTION WHEELS	20x8.00-10 (4 Ply) Agricolturale profile
CASTER WHEELS	9x3.50-4 (4 Lagen) flat free
DIMENSIONS (LxW)	210x140 cm
WEIGHT	354 kg
WARRANTY	2-Year Limited Warranty commercial use, unlimited hours (3-Year on engine)
SPEED/CAPACITY	11.0 km/h – various



FRC7 HYBRID e-DRIVE

Experience Suspension™

MODEL (Mfg# 5902117)	ENGINE	MOWER DECK
FRC7115CMRDV23EEEU	23 HP Vanguard® EFI and ETC	115 cm – biodirectional RD - Mulch



SPECIFICATIONS

ENGINES (hybrid)	23 HP VANGUARD® V-Twin 627cc with Electronic Fuel Injection / ETC / Benevelli 13kW generator + 48V/35Ah Battery Bank
MOWER DECK	115 cm, 2 spindles w.4 swing blades each, bidirectional Mulch + High Grass
TRANSMISSIONS	Benevelli® 3.0kW traction E-motors / Benevelli® 10kW deck E-motor
TRACTION TRACKS	150mm width / 940mm traction length / 0,24kg/cm² ground pressure
DIMENSIONS (LxWxH)	160x150x89 cm
WEIGHT	677 kg
WARRANTY	2-Year unlimited (3-Year on engine)
SPEED/CAPACITY	7.0 km/h – 7200m²/h (90% of max.)



Experience
Suspension™

MODEL (Mfg # 5901943)	ENGINE	MOWER DECK
SRSZ1KAV1936RDCE	19 HP Kawasaki® FX600V	91 cm – Rear discharge - Mulch



Kawasaki



**HYDRO-GEAR®
COMMERCIAL**



SPECIFICATIONS

ENGINE	19 HP Kawasaki® FX600V V-Twin 603cc (Petrol)
MOWER DECK	91 cm, 3 Blades, Rear discharge / Mulching Insert and Mulching Blades
TRANSMISSIONS	HydroGear® Commercial ZT3400®
TRACTION WHEELS	23x8.50-12 (4 Ply)
CASTER WHEELS	11x4.00-5 (4 Ply) flat free
DIMENSIONS (LxW)	162x94 cm
WEIGHT	368 kg
WARRANTY	2-Year unlimited or 2+2-Year Limited Warranty or 500 hours which occurs first (3-Year on engine)
SPEED/CAPACITY	12.8 km/h – 9300m²/h (80% of max.)



Experience
Suspension™

MODEL (Mfg # 5901944)	ENGINE	MOWER DECK
SRSZ1KAV2248RDCE	22 HP Kawasaki® FX691V	122 cm – Rear discharge - Mulch



Kawasaki



HYDRO-GEAR®
COMMERCIAL



SPECIFICATIONS

ENGINE	22 HP Kawasaki® FX691V V-Twin 726cc (Petrol)
MOWER DECK	122 cm, 3 Blades, Rear discharge / Mulching Insert and Mulching Blades
TRANSMISSIONS	HydroGear® Commercial ZT3400®
TRACTION WHEELS	23x10.50-12 (4 Ply)
CASTER WHEELS	11x4.00-5 (4 Ply) flat free
DIMENSIONS (LxW)	166x124 cm
WEIGHT	398 kg
WARRANTY	2-Year unlimited or 2+2-Year Limited Warranty or 500 hours which occurs first (3-Year on engine)
SPEED/CAPACITY	12.8 km/h – 12500m²/h (80% of max.)



400S

Experience Suspension™

MODEL (Mfg # 5901990)	ENGINE	MOWING DECK
400SB2348SRDCE	23 HP Briggs&Stratton® Commercial	122 cm – TRIPLE combi disch. - Mulch



SPECIFICATIONS

ENGINE	23 HP Briggs&Stratton® Commercial Series V-Twin 724cc (Petrol)
MOWER DECK	122 cm, 3 Blades, TRIPLE: Side-and rear discharge / Mulching Insert and Mulching Blades
TRANSMISSIONS	HydroGear® Commercial ZT3100®
TRACTION WHEELS	20x10.00-10 (4 Ply)
CASTER WHEELS	11x4.00-5 (4 Ply)
DIMENSIONS (LxW)	180x124 cm / 180x155 cm (Deflector down)
WEIGHT	369 kg
WARRANTY	2+2-Year Limited Warranty or 500 hours which occurs first (2-Year on engine)
SPEED/CAPACITY	12.8 km/h – 12700m²/h (80% of max.)



500S

Experience Suspension™

MODEL (Mfg # 5902171)	ENGINE	MOWING DECK
500SB2548SRDCE	25 HP Briggs&Stratton® Commercial	122 cm – TRIPLE combi disch. - Mulch



BRIGGS&STRATTON®
COMMERCIAL
SERIES

TRIPLE
MOWING TECHNOLOGY

HYDRO-GEAR®
COMMERCIAL



SPECIFICATIONS

ENGINE	25 HP Briggs&Stratton® Commercial Series CXi V-Twin 724cc (Petrol)
MOWER DECK	122 cm, 3 Blades, TRIPLE: Side-and rear discharge / Mulching Insert and Mulching Blades
TRANSMISSIONS	HydroGear® Commercial ZT3100®
TRACTION WHEELS	22x10.00-10 (4 Ply)
CASTER WHEELS	13x6.50-6 (4 Ply)
DIMENSIONS (LxW)	192x124 cm / 192x148 cm (Deflector down)
WEIGHT	376 kg
WARRANTY	2+2-Year Limited Warranty or 500 hours which occurs first (2-Year on engine)
SPEED/CAPACITY	13.6 km/h – 13300m²/h (80% of max.)



IS 600Z

Experience Suspension™

MODEL (Mfg # 5902111)	ENGINE	MOWER DECK
IS600ZB2544RDCE	25 HP Briggs&Stratton® Commercial	112 cm – Rear discharge - Mulch



SPECIFICATIONS

ENGINE	25 HP Briggs&Stratton® Commercial Series V-Twin 724cc (Petrol)
MOWER DECK	112 cm, 3 Blades, Rear discharge / Mulching Insert and Mulching Blades
TRANSMISSIONS	HydroGear® Commercial ZT3400®
TRACTION WHEELS	20x8.00-10 (4 Ply)
CASTER WHEELS	11x4.00-5 (4 Ply)
DIMENSIONS (LxW)	203x117 cm
WEIGHT	418 kg
WARRANTY	2-Year unlimited or 2+2-Year Limited Warranty or 500 hours which occurs first (2-Year on engine)
SPEED/CAPACITY	14.5 km/h – 13000m²/h (80% of max.)



ISX 800

Experience
Suspension™

MODEL (Mfg # 5902021/5902086)	ENGINE	MOWER DECK
ISX800ZB2752SRDCE	27 HP Briggs&Stratton® Commercial	132 cm – TRIPLE combi disch. - Mulch



BRIGGS & STRATTON®
COMMERCIAL
SERIES

TRIPLE
MOWING TECHNOLOGY

HYDRO-GEAR®
COMMERCIAL



SPECIFICATIONS

ENGINE	27 HP Briggs&Stratton® Commercial Series V-Twin 810cc (Petrol)
MOWER DECK	132 cm, 3 Blades. TRIPLE: Side-and rear discharge / Mulching Insert and Mulching Blades
TRANSMISSIONS	HydroGear® Commercial ZT3400®
TRACTION WHEELS	23x10.50-12 (4 Ply)
CASTER WHEELS	13x6.50-6 (4 Ply)
DIMENSIONS (LxW)	211x136 cm
WEIGHT	487 kg
WARRANTY	2-Year unlimited or 2+2-Year Limited Warranty or 500 hours which occurs first (2-Year on engine)
SPEED/CAPACITY	16.0 km/h – 16900m ² /h (80% of max.)



ISX 2200

Experience Suspension™

MODEL (Mfg # 5902029/5902091)	ENGINE	MOWER DECK
ISX2200BVE2852SRDCE	28 HP Vanguard® 810 EFI	132 cm – TRIPLE combi discharge - Mulch



SPECIFICATIONS

ENGINE	28 HP VANGUARD® 810 V-Twin 810cc (Petrol) with Electronic Fuel Injection
MOWING DECK	132 cm, 3 Blades, Side-and rear discharge / Mulch Insert and Mulch Blades
TRANSMISSIONS	HydroGear® Commercial ZT4400™
TRACTION WHEELS	24x9.50-12 (4 Ply)
CASTER WHEELS	13x5.00-6 (4 Ply)
DIMENSIONS (LxW)	213x136 cm (RD mode)
WEIGHT	548 kg
WARRANTY	2-Year unlimited or 2+2-Year Limited Warranty or 500 hours which occurs first (3-Year on engine)
SPEED/CAPACITY	18.0 km/h – 19000m ² /h (80% of max.)



ISX 2200

Experience Suspension™

MODEL (Mfg # 5902030/5902092)	ENGINE	MOWER DECK
ISX2200BVE2861SRDCE	28 HP Vanguard® 810 EFI	155 cm – TRIPLE combi discharge - Mulch



SPECIFICATIONS

ENGINE	28 HP VANGUARD® 810 V-Twin 810cc (Petrol) with Electronic Fuel Injection
MOWER DECK	155 cm, 3 Blades, Side-and rear discharge / Mulch Insert and Mulch Blades
TRANSMISSIONS	HydroGear® Commercial ZT4400™
TRACTION WHEELS	24x12.00-12 (4 Ply)
CASTER WHEELS	13x6.50-6 (4 Ply)
DIMENSIONS (LxW)	213x162 cm (RD mode)
WEIGHT	601 kg
WARRANTY	2-Year unlimited or 2+2-Year Limited Warranty or 500 hours which occurs first (3-Year on engine)
SPEED/CAPACITY	18.0 km/h – 22300m²/h (80% of max.)



IS 2600Z

Experience
Suspension™

MODEL (Mfg # 5901930)	ENGINE	MOWER DECK
IS2600ZY24D2452SRDCE	24 HP Yanmar® 3TNM74F-SAFS	132 cm – TRIPLE combi discharge - Mulch



SPECIFICATIONS

ENGINE	24 HP Yanmar® 3TNM74F-SAFS 3-Cylinder 993 cc (Diesel) Euro Stage 5
MOWER DECK	132 cm, 3 Blades, Side-and rear discharge / Mulch Insert and Mulch Blades
TRANSMISSIONS	HydroGear® Commercial ZT4400™
TRACTION WHEELS	24x9.50-12 (4 Ply)
CASTER WHEELS	13x5.00-6 (4 Ply)
DIMENSIONS (LxW)	224x135 cm
WEIGHT	727 kg / 743 kg
WARRANTY	2-Year unlimited or 2+2-Year Limited Warranty or 500 hours which occurs first (2-Year on engine)
SPEED/CAPACITY	18.0 km/h – 19000m ² /h (80% of max.)



IS 2600Z

Experience Suspension™

MODEL (Mfg # 5901931)	ENGINE	MOWER DECK
IS2600ZY24D2461SRDCE	24 HP Yanmar® 3TNM74F-SAFS	155 cm -TRIPLE combi disch.- Mulch



YANMAR

TRIPLE

MOWING TECHNOLOGY

HYDRO-GEAR®

COMMERCIAL



SPECIFICATIONS

ENGINE	24 HP Yanmar® 3TNM74F-SAFS 3-Cylinder 993 cc (Diesel) Euro Stage 5
MOWER DECK	155 cm, 3 Blades, Side-and rear discharge / Mulch Insert and Mulch Blades
TRANSMISSIONS	HydroGear® Commercial ZT4400™
TRACTION WHEELS	24x12.00-12 (4 Ply)
CASTER WHEELS	13x6.50-6 (4 Ply)
DIMENSIONS (LxW)	224x159 cm
WEIGHT	743 kg
WARRANTY	2-Year unlimited or 2+2-Year Limited Warranty or 500 hours which occurs first (2-Year on engine)
SPEED/CAPACITY	18.0 km/h – 22300m²/h (80% of max.)



ISX 3300

Experience Suspension™

MODEL (Mfg 5902036+5901917)	ENGINE	MOWER DECK
ISX3300BVE4061SRDCE	40 HP Vanguard® 993 EFI	155 cm – TRIPLE combi disch. - Mulch



Head Rest optional

SPECIFICATIONS

ENGINES	40 HP VANGUARD® V-Twin 993cc (Petrol) with Electronic Fuel Injection / ETC
MOWER DECK	155 cm, 3 Blades, Side-and rear discharge/Mulch Insert and Mulch Blades
TRANSMISSIONS	HydroGear® Commercial ZT5400® / electric/hydraulic mower deck lift
TRACTION WHEELS	26x12.0-12 (4 Ply)
CASTER WHEELS	13x6.50-6 (4 Ply)
DIMENSIONS (LxW)	222x162 cm
WEIGHT	732 kg
WARRANTY	2-Year unlimited or 2+2-Year Limited Warranty or 500 hours which occurs first (3-Year on engine)
SPEED/CAPACITY	20.0 km/h – 24800m ² /h (80% of max.)



ISX 3300

Experience Suspension™

MODEL (Mfg 5902036+5901932)	ENGINE	MOWER DECK
ISX3300BVE4061SRDCE	40 HP Vanguard® 993 EFI	183 cm – TRIPLE combi disch. - Mulch



Head Rest optional

SPECIFICATIONS

ENGINES	40 HP VANGUARD® V-Twin 993cc (Petrol) with Electronic Fuel Injection / ETC
MOWER DECK	183 cm, 3 Blades, Side-and rear discharge/Mulch Insert and Mulch Blades
TRANSMISSIONS	HydroGear® Commercial ZT5400® / electric/hydraulic mower deck lift
TRACTION WHEELS	26x12.0-12 (4 Ply)
CASTER WHEELS	13x6.50-6 (4 Ply)
DIMENSIONS (LxW)	222x189 cm
WEIGHT	752 kg
WARRANTY	2-Year unlimited or 2+2-Year Limited Warranty or 500 hours which occurs first (3-Year on engine)
SPEED/CAPACITY	20.0 km/h – 29300m ² /h (80% of max.)



IS 6200

Experience
Suspension™

MODEL (Mfg# 5901850)	ENGINE	MOWER DECK
IS6200C48D72SRDCE	48 HP Caterpillar® C1.7 Turbo	183 cm – TRIPLE combi disch. - Mulch



CATERPILLAR®

TRIPLE
MOWING TECHNOLOGY

HYDRO-GEAR®
COMMERCIAL



SPECIFICATIONS

ENGINE	48 HP Caterpillar® C1.7 3-Cylinder 1699 cc (Turbo Diesel)
MOWER DECK	183 cm, 3 Blades, Side-and rear discharge/Mulch Insert and Mulch Blades
TRANSMISSIONS	HydroGear® PW Pumps + Parker TG0335 Wheel Motors / hydraulic lift
TRACTION WHEELS	26x12.00-12 (4 Ply)
CASTER WHEELS	13x6.50-6 (4 Ply)
DIMENSIONS (LxW)	229x189 cm (RD-mode) / 229x229 cm (SD-mode)
WEIGHT	1158 kg
WARRANTY	2-Year unlimited or 2+2-Year Limited Warranty or 500 hours which occurs first (2-Year on engine)
SPEED/CAPACITY	20.0 km/h – 29300m²/h (80% of max.)



Experience
Suspension™

MODEL (Mfg # 5902013)	ENGINE	FLOW RATE
FB1000	18 HP Vanguard® MOD35 V-twin (570cc)	5964 m ³ /h



SPECIFICATIONS

ENGINE	18 HP VANGUARD® Model 35 V-Twin 570cc (Petrol)
BLOW FORCE	132 N
TRANSMISSIONS	HydroGear® Commercial ZT3100®
TRACTION WHEELS	20x8.00-8 (4 Ply)
CASTER WHEELS	11x4.00-5 (4 Ply)
DIMENSIONS (LxW)	154 cm (operators platform down) / 138 cm (operators platform up)
WEIGHT	308 kg
WARRANTY	2-Year unlimited (3-Year on engine)
SPEED	12.8 km/h



Experience
Suspension™

MODEL (Mfg # 5902095)	ENGINE	CAPACITY
Rover XC™ FS1200	5 HP Vanguard® 160 (10V3)	max90 liter / 4.0 m spreading width



SPECIFICATIONS

ENGINE	5 HP VANGUARD® 160 (single cylinder) 169cc (Petrol)
HOPPER	Spyker® 220 Series (90 liters)
TRANSMISSION	Peerless® 855 Series (coated) / Manual 2 forward / 1 reverse
TRACTION WHEELS	18x9.50-8 (front)
STEERING WHEELS	13x6.50-6 (rear)
DIMENSIONS (LxWxH)	137x90x124 cm
WEIGHT	161 kg
WARRANTY	1-Year Limited Warranty (3-Year on engine)
SPEED	5 km/h (1st gear) / 7.5 km/h (2nd gear)